

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1-17. (Canceled)

18. (Currently Amended) A method for stimulating and/or expanding T-cells, comprising contacting T-cells *in vitro* with at least an immunogenic fragment of the polypeptide consisting of SEQ ID NO: 525, wherein said immunogenic fragment is ~~selected from the group consisting of:~~

- (a) ~~amino acid residues 110-124 of SEQ ID NO: 525;~~
- (b) ~~amino acid residues 125-139 of SEQ ID NO: 525;~~
- (c) ~~amino acid residues 135-149 of SEQ ID NO: 525;~~
- (d) ~~amino acid residues 155-170 of SEQ ID NO: 525; and~~
- (e) ~~amino acid residues 160-174 of SEQ ID NO: 525;~~

under conditions and for a time sufficient to permit the stimulation and/or expansion of T-cells specific for SEQ ID NO: 525.

19. (Canceled)

20. (New) A method for stimulating and/or expanding T-cells, comprising contacting T-cells *in vitro* with at least an immunogenic fragment of the polypeptide consisting of SEQ ID NO: 525, wherein said immunogenic fragment is amino acid residues 125-139 of SEQ ID NO: 525; under conditions and for a time sufficient to permit the stimulation and/or expansion of T-cells specific for SEQ ID NO: 525.

21. (New) A method for stimulating and/or expanding T-cells, comprising contacting T-cells *in vitro* with at least an immunogenic fragment of the polypeptide consisting

of SEQ ID NO: 525, wherein said immunogenic fragment is amino acid residues 135-149 of SEQ ID NO: 525; under conditions and for a time sufficient to permit the stimulation and/or expansion of T-cells specific for SEQ ID NO: 525.

22. (New) A method for stimulating and/or expanding T-cells, comprising contacting T-cells *in vitro* with at least an immunogenic fragment of the polypeptide consisting of SEQ ID NO: 525, wherein said immunogenic fragment is amino acid residues 155-170 of SEQ ID NO: 525; under conditions and for a time sufficient to permit the stimulation and/or expansion of T-cells specific for SEQ ID NO: 525.

23. (New) A method for stimulating and/or expanding T-cells, comprising contacting T-cells *in vitro* with at least an immunogenic fragment of the polypeptide consisting of SEQ ID NO: 525, wherein said immunogenic fragment is amino acid residues 160-174 of SEQ ID NO: 525; under conditions and for a time sufficient to permit the stimulation and/or expansion of T-cells specific for SEQ ID NO: 525.